




Karndean
Designflooring

brought to you by
Jacobsen®

INTRODUCING
Karndean



Everything you
need to know



Inspiring Trends:

We pride ourselves as industry leaders on our commitment to identify and understand interior design trends that influence our market and consumer needs.




Design:

We seek out expressive and intriguing forms in the natural world to influence our unique floor designs.



Replication:

Our floors showcase each and every detail of the natural materials that have inspired the design, every one with a unique story to tell.



Performance:

Not only are our floors simply beautiful, but they are designed to perform. They are designed for living on.



Support:

Customer service and technical support teams, NZ-based stock.



WE HAVE A DEDICATED TEAM OF INCREDIBLE DESIGNERS
WHO CREATE BEAUTIFUL AND AUTHENTIC FLOORS.

DESIGN



The designs and textures of the Karndean planks are inspired by nature, and the designers draw from global landscapes, carefully replicating the minutia of the textures and details of woods and stones found in places like ancient European forests, the Australian outback, and beyond.





REGISTERED embosses
THROUGH TO BEVELED EDGES

LAYING PATTERNS AND
DESIGN POSSIBILITIES TO
elevate any space





Large-scale

PLANKS AND TILES

Flooring certified

BY GLOBAL GREENTAG™







Specification overview

Van Gogh

3.0 mm Thickness	0.5 mm Wear layer	R10 Plank slip rating	N/A Click-locking	15 Year Commercial warranty
	Featuring wood looks	35 Year Residential warranty		



FORMAT	SIZE	BEVELLED EDGE	QUANTITY PER BOX	M² PER BOX	M² PER PALLET	WEIGHT PER BOX (KG)
Plank	1219.2 x 177.8 mm	Micro	15 planks	3.25	195.00	19

Knight Tile

2.0 mm Thickness	0.3 mm Wear layer	R10 Plank slip rating	R9 Tile slip rating	10 Year Commercial warranty
	Featuring wood and stone looks		35 Year Residential warranty	



FORMAT	SIZE	BEVELLED EDGE	QUANTITY PER BOX	M ² PER BOX	M ² PER PALLET	WEIGHT PER BOX (KG)
Plank Tile	1219.2 x 177.8 mm	No	20 planks	4.34	240.48	13
	305 x 457 mm	No	24 tiles	3.34	250.5	12

Korlok

35 year Residential warranty	Wear layer 0.5 mm	R10 Slip rating	5G Locking system	21dB Impact sound insulation
	Thickness 6.5 mm	15 year Commercial warranty		



FORMAT	SIZE	BEVELLED EDGE	QUANTITY PER BOX	M ² PER BOX	M ² PER PALLET	WEIGHT PER BOX (KG)
Plank	1420 x 225 mm	Micro	10 planks	3.195	166.140	26
Tile	457 x 600 mm		10 tiles	2.742	142.584	21

LooseLay Originals

4.5 mm Thickness	Wear layer 0.5 mm	R10 Plank slip rating	R9 Tile slip rating	15 Years Commercial warranty
	Featuring wood and stone looks	Lifetime Residential warranty		



FORMAT	SIZE	BEVELLED EDGE	QUANTITY PER BOX	M ² PER BOX	M ² PER PALLET	WEIGHT PER BOX (KG)
Plank	1050 x 250 mm	No	12 planks	3.15	151.2	23
Tile	500 x 610 mm		10 tiles	3.05	158.6	24

LooseLay Longboard

Lifetime Residential warranty	Wear layer 0.5mm	R10 Slip rating	K-Guard+ PU coating	14dB Impact sound insulation
	Thickness 4.5mm	15 years Commercial warranty		



FORMAT	SIZE	BEVELLED EDGE	QUANTITY PER BOX	M ² PER BOX	M ² PER PALLET	WEIGHT PER BOX (KG)
Plank	1500 x 250 mm	No	8 planks	3	156	24

Service

A PARTNER YOU CAN TRUST, ON A SCALE YOU NEED

Our nation-wide team can support you all across the country.

LARGEST LVT STOCK- HOLDING IN NZ

We pride ourselves on our large stock-holding — ensuring the products you order are delivered in full and on time, nationwide.

PREMIUM CUSTOMER EXPERIENCE

We know the value of a supplier who not only creates great-performing products but supports you every step of the way.

OUR LVT FLOORING RANGES

	Price range		Size (mm)	Residential warranty	Commercial warranty	Thickness (mm)	Wear layer (mm)	Beveled edge	Natural emboss	Quantity per box	m² per box	m² per pallet	Weight per box (kg)	Slip rating^
Loose lay														
Karndean LooseLay Longboard	\$\$\$	Plank	1500 x 250	Lifetime (35 years)	15 years	4.5	0.55	No	Yes	8	3.000	156	24	R10, P2
Karndean LooseLay Originals	\$\$	Plank	1050 x 250							12	3.150	151.2	23	R10, P1/P2
		Tile	500 x 610							10	3.050	158.6	24	R9, P2
Rigid core														
Korlok 5G®	\$\$\$	Plank	1420 x 225	Lifetime (35 years)	15 years	6.5	0.55	Micro	Yes	10	3.195	166.14	26	R10, P2
		Tile	457 x 600							10	2.742	142.584	21	
			457 x 935							6	2.564	117.944	20	
Gluedown														
Van Gogh	\$\$	Plank	1219.2 x 177.8	Lifetime (35 years)	15 years	3.0	0.55	Micro	Yes	15	3.252	195.096	19	R10, P2
Knight Tile	\$	Plank	1219.2 x 177.8	Lifetime (35 years)	10 years	2.0	0.3	No	Yes	20	4.335	206.671	16	R10, R2
		Tile	304.8 x 457.2							24	3.345	240.805	12	R9, P3

^P slip ratings may vary between individual SKUs. We recommend referring to the specific test results for each product to confirm suitability for your project requirements.



brought to you by
Jacobsen[®]

Imagery and Design Reproduction

Photography and print cannot always produce a perfect representation of our products. This includes colour, pattern variation and installation elements used. For this reason we strongly recommend obtaining a product sample and where possible viewing a larger sample in-store. We also recommend visiting our website for information on installation, after care and product selection. We love developing new ideas and improving on our existing designs which means that sometimes products are withdrawn at short notice. We hate to disappoint and will work with you to find an alternative design. Please contact Customer Service for more information. It is recommended that when selecting flooring products, you verify compliance with building regulations and certification practices relevant to your local area. All Karndean range and format credentials are at our certification policy level – please check for the current certification status.

 **Contact us**

For technical support, pricing and more information call customer services on:

0800 800 460 | [jacobsen.co.nz](https://www.jacobsen.co.nz)

